

WASTE WISE
PRODUCTS LLC


Galaxy Series

Finesse & Function

Product Data Sheet | Version 1.3

wastewiseproductsinc.com
866-217-4066
info@wastewiseproducts.com





FINESSE & FUNCTION


Blending unparalleled design flexibility with real-world functionality, Galaxy recycling & waste stations offer unique beauty and performance. The Galaxy combines attractive & adaptable powder-coated steel with the extreme durability of low-density plastic. Indoors or out, the Galaxy is a first-class choice for public spaces, shopping centers, universities, healthcare facilities, office buildings, and other public spaces.



105176

RECEPTACLE SPECIFICATIONS

Below are the available Body Options for the Galaxy Series. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. The Galaxy is a two-stream unit made from powder-coated steel and LDPE plastic. Talk to your dedicated Waste Wise Products sales representative for more information on how to choose the right container for your space.



| Body Shape | Height | Width | Depth | Weight | Capacity |
|------------|-------------------|---------------------|-------------------|--------------------|----------|
| Double | 42.5"H (1079.5mm) | 29.375"W (746.13mm) | 21.3"D (541.02mm) | 108.6lbs (49.26kg) | 56 gal |

IDEAL BAG SIZES

| | |
|-------------------------|-------------------|
| | 56 Gallons |
| Ideal Bag Size (inches) | 35 x 39 |

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

| Component | Material(s) | Construction |
|-----------|---------------------|---|
| Body | Powder Coated Steel | <ul style="list-style-type: none"> Platinum powder coat finish |
| Liners | LDPE | <ul style="list-style-type: none"> Liners are molded from durable LDPE |

ENVIRONMENTAL CONSIDERATIONS

- All Galaxy Series Receptacles use a low energy, resource efficient manufacturing and curing process
- All Galaxy Series receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America

| Configurations | Post-Industrial Recycled Content | Post-Consumer Recycled Content | Total Recycled Content | 3rd Party Certifications |
|----------------|----------------------------------|--------------------------------|------------------------|--------------------------|
| Galaxy™ | Contact us | Contact us | Contact us | - |

LEAD TIME

Our standard lead times on the Galaxy Series are 6-8 weeks. Please contact us to discuss your specific timing requirements.

INSTALLATION

Galaxy Series containers are hassle-free when it comes to installation. Each container comes fully assembled and individually boxed using high-density cardboard with high-recycled content to ensure safe and environmentally friendly transport.

To install your Galaxy Series container:

1. Unbox your container
2. Unlock one side and raise rim
3. Tip liner towards you then lift bag retention ring and insert bag into the liner
4. Lower the bag retention ring to hold the bag in place
5. Tip liner away from you back into the body, then lower the rim and lock (repeat steps 2 to 5 on other side)
6. Apply your chosen labels

CARE & MAINTENANCE

POWDER-COATED STEEL

Waste Wise Products' powder coated steel products are finished with a polyester powder coat paint that is intended to help keep your recycling and waste containers protected and attractive looking for as long as possible in their environment. Their appearance and lifespan will be greatly affected by their care. Powder coated finishes can be treated like most other paints and benefit from regular cleaning.

The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Galaxy Series stations, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

- Ajax Cream
- Liquid Gumption
- Flash (in water)
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

THINGS TO AVOID

- Solvents such as acetone, contact cleaners, thinners or Methyl Ethyl Ketone (MEK). These solvents are very damaging to the powder coat and will soften and/or dissolve the surface of the coating, diminishing its shine and durability or removing the finish altogether.
- Cleaning water that contains sulfur, iron oxide, chlorine, fluoride
- Waxes that contain abrasives
- Abrasive cleaning tools or brushes
- Contact with electrical current and dissimilar metals

PLASTIC

Advantages of HDPE & LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces the potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, etc.

CARE & MAINTENANCE

To avoid the accumulation of dirt and grime on your Galaxy Series stations, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Rinse well with clean water. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

- Ajax Cream
- Liquid Gumption
- Flash (in water)
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

- Clean with a power washer or light scrub brush (outdoor/municipal bins)
- Clean with a mild detergent with a damp sponge or cloth (indoor/office bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried
- UV safe cleaners MUST be used on all outdoor bins

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents
- Abrasive detergents
- Steel wool or Scouring pads

Contact Us Today for a Quote on Your Galaxy Station!

WASTE WISE
PRODUCTS LLC

wastewiseproductsinc.com • 866-217-4066 • info@wastewiseproducts.com